

## Mortice Mounted Specialised Function Locks

The **HS250** features an **automatic deadlocking function** with **automatic bolt throw**.

The **HS260** lock has **automatic deadlocking** as the HS250 but is provided with a **manual bolt throw operation**.

### Features

- Available as a single, 2 or 3 point lock
- Automatic deadlocking function
- 25mm bolt engagement
  - HS250 - bolts automatically
  - HS260 - manual bolt operation
- Stainless steel forend and bolt guide plates
- Suitable for timber and steel doors

### Options


- Bolt Position Monitoring
- Lock Position Monitoring
- Tall door kits available
- External key entry overrides automatic deadlocking
- Mechanical deadlock override via internal thumbturn with or without breakdome or internal key cylinder
- High security cylinder guard available

### Standards

- Independently cycle tested to in excess of 1,000,000 cycles
- Fire tested to BS EN 1634-1



## Dimensions



Note: Images show thumbturn options, with and without break dome.

## Ordering Code Matrix and Technical Information


### HS250 and HS260 Mortice Mount Locks

<b>HS250 or HS260</b> .....	<b>2 - 6 - 5 - 101 - 1 - 0 - 0</b>
HS250	5
HS260	6
<b>Handing &amp; Locking Points (see chart opposite)</b>	
Single Point	1
Single Point	2
Two Point	3
Two Point	4
Three Point	5
Three Point	6
<b>Finish</b>	
Brushed stainless steel	1
<b>Configuration (cylinders not included)</b>	
Internal lever operation only with thumbturn	01
Int. lever operation only with thumbturn & breakdome	02
As 01 but with external key facility & external handle	03
As 03 but with breakdome	04
As 03 but with cylinder guard	05
As 05 but with breakdome	06
As 01 but with internal key facility	07
As 07 but with external handle and key facility	08
As 08 but with cylinder guard	09
External operation only	10
As 10 but with cylinder guard	11
<b>Door Thickness</b>	
<b>48-56mm</b>	1
<b>57-63mm</b>	2
<b>64-73mm</b>	3
<b>74-85mm</b>	4
<b>Europrofile Cylinder Make</b>	
<b>This information is to determine the cylinder guard type only.</b>	
<b>To order cylinder(s) see page 52</b>	
No cylinder required	0
Union	1
Assa Twin Combi	2
Abloy Protec	3
Yale	4
Kaba Expert	5
Kaba 20	6
Other (please specify make and model)	7
<b>Electric Monitoring</b>	
None required	0
Bolt position	1
Lock position	2
Both positions	3

**Other Items:**

- Europrofile Cylinders and Cylinder Guards - page 52
- Top Keeps, Centre Keeps and Floor Keeps - page 54
- Fixing Packs - page 53
- Tall Door Kits - page 53

### Handing and Locking Chart



## Configuration Chart: HS250 & HS260

### Lever Handle

